

FIG. 1




FIG. 2




FIG. 3

4/8




FIG. 4




FIG. 5

6/8




FIG. 6




FIG. 7

EXEMPLARY INSTRUCTIONS

801	SEND RETURN MESSAGE TO SENDER THAT INCLUDES DETERMINATION OF POSITION IN ECEF COORDINATES
802	SEND RETURN MESSAGE TO SENDER THAT INCLUDES DETERMINATION OF POSITION AS STREET AND NEAREST CROSS STREET
803	SEND RETURN MESSAGE TO SENDER THAT INCLUDES DETERMINATION OF POSITION AS STREET ADDRESS
804	SEND RETURN MESSAGE TO SENDER THAT INCLUDES DETERMINATION OF POSITION IN LATITUDE AND LONGITUDE
805	SEND RETURN MESSAGE TO SENDER THAT INCLUDES DETERMINATION OF POSITION IN MAP COORDINATES
806	SEND MESSAGE TO ADDRESSEE THAT INCLUDES DETERMINATION OF POSITION IN LATITUDE AND LONGITUDE
807	SEND MESSAGE TO ADDRESSEE THAT INCLUDES DETERMINATION OF POSITION AS STREET AND NEAREST CROSS STREET
808	SEND MESSAGE TO ADDRESSEE THAT INCLUDES DETERMINATION OF POSITION AS STREET ADDRESS
809	SEND MESSAGE TO ADDRESSEE THAT INCLUDES DETERMINATION OF POSITION IN WGS84 COORDINATES
810	SEND MESSAGE TO ADDRESSEE THAT INCLUDES DETERMINATION OF POSITION IN MAP COORDINATES
811	SEND MESSAGE TO SERVICE PROVIDER THAT INDICATES SENDER'S POSITION-AUTOMATED ROUTING TO SERVICE PROVIDER'S FACILITY THAT IS NEAREST TO SENDER'S POSITION
812	SEND FORMATTED MESSAGE THAT INDICATES POSITION
813	SEND FORMATTED MESSAGE TO SERVICE PROVIDER THAT INDICATES SENDER'S POSITION-AUTOMATED ROUTING TO SERVICE PROVIDER'S FACILITY THAT IS NEAREST TO SENDER'S POSITION
814	SEND RETURN MESSAGE THAT IS RESPONSIVE TO QUERY
815	SEND MESSAGE THAT INSTRUCTS THAT A TASK IS TO BE PERFORMED THAT RELATES TO POSITION
816	SEND MESSAGE TO AUTOMATED DEVICE INSTRUCTING PERFORMANCE OF TASK WHEN DETERMINED POSITION MEETS CRITERIA
817	SEND MESSAGE TO AUTOMATED GATE OPENING DEVICE INSTRUCTING THAT GATE BE OPENED WHEN DETERMINED POSITION IS NEAR GATE
818	SEND MESSAGE TO ALARM SYSTEM INSTRUCTING THAT THE ALARM SYSTEM BE DEACTIVATED WHEN THE DETERMINED POSITION IS NEAR THE ALARM SYSTEM
819	SEND MESSAGE AND ROUTE MESSAGE ACCORDING TO ADDRESSEE AND ACCORDING TO DETERMINATION OF POSITION

FIG. 8